

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S19	74	S11 and ((main or first or primary) and (secondary or second or sub)) NEAR3 (processor or computer or cpu or control adj unit) and (monitor or supervis\$6) and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 19:27
S21	2677	(((main or first or primary or principle) and (secondary or second or sub)) with (processor or computer or cpu or control adj unit) and (observ\$3 or monitor\$3 or supervis\$6) and (fault or error or fail or mistake or trespass or inaccurac\$3 or erroneous\$3 or fail adj safe or failsafe)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 19:59
S22	2368	(700/21,24,28,79,82).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/06 19:35
S23	5220	(701/101-115).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/06 19:35
S24	1117	(702/57-58).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/06 19:35
S25	1465	(702/116-118).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/06 19:35
S26	2854	(702/183-183,188).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/06 19:35

EAST Search History

S27	481	(326/16).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/06 19:35
S28	1839	(123/399).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/06 19:35
S29	1649	(714/11,21,49-51,55).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/06 19:35
S30	3180	(702/185,186,188,184).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/06 19:35
S31	17629	S22 or S23 or S24 or S25 or S26 or S27 or S28 or S29 or S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 19:35
S32	435	S31 and @pd>"20070122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 15:05
S34	60	(((main or first or primary or principle) and (secondary or second or sub)) with (processor or computer or cpu or control adj unit) and (observ\$3 or monitor\$3 or supervis\$6) and (fail adj safe or failsafe)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 19:48
S36	41	((dummy or copy or imitation or simulat\$3 or model or mock or duplicat\$2 or replicate\$2) with (data or datum or information or signal or function or logic) and (fail adj safe or failsafe)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 19:53

EAST Search History

S39	350	(((main or first or primary or principle) and (secondary or second or sub)) with (processor or computer or cpu or control adj unit) and (observ\$3 or monitor\$3 or supervis\$6) and (fault or error or fail or mistake or trespass or inaccurac\$3 or erroneous\$3 or fail adj safe or failsafe) and (dummy or copy or imitation or simulat\$3 or model or mock or duplicat\$2 or replicate\$2) with (data or datum or information or signal or function or logic)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 20:00
S41	305	(((main or first or primary or principle) and (secondary or second or sub)) with (processor or computer or cpu or control adj unit) and (monitor\$3 or supervis\$6) and (fault or error or fail or fail adj safe or failsafe) and (dummy or copy or imitation or simulat\$3 or model or mock or duplicat\$2 or replicate\$2) with (data or datum or information or signal or function or logic)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 13:59
S43	19	(((main or first or primary or principle) and (secondary or second or sub)) with (processor or computer or cpu or control adj unit) and (monitor\$3 or supervis\$6) and (fault or error or fail or fail adj safe or failsafe) and (dummy)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 11:25
S44	80	((dummy or copy or imitation or simulat\$3 or model or mock or duplicat\$2 or replicate\$2) and (fail adj safe or failsafe)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 11:28
S45	2368	(700/21,24,28,79,82).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/09 11:34
S46	5220	(701/101-115).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/09 11:34

EAST Search History

S47	1117	(702/57-58).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/09 11:34
S48	1465	(702/116-118).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/09 11:34
S49	2854	(702/183-183,188).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/09 11:34
S50	481	(326/16).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/09 11:34
S51	1839	(123/399).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/09 11:34
S52	1649	(714/11,21,49-51,55).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/09 11:34
S53	3180	(702/185,186,188,184).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/09 11:34
S54	17629	S45 or S46 or S47 or S48 or S49 or S50 or S51 or S52 or S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 11:34

EAST Search History

S55	187	(((main or first or primary or principle) and (secondary or second or sub)) with (processor or computer or cpu or control adj unit) and (observ\$3 or monitor\$3 or supervis\$6) and (fault or error or fail or mistake or trespass or inaccurac\$3 or erroneous\$3 or fail adj safe or failsafe)).clm. and S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 11:34
S56	350	(((main or first or primary or principle) and (secondary or second or sub)) with (processor or computer or cpu or control adj unit) and (observ\$3 or monitor\$3 or supervis\$6) and (fault or error or fail or mistake or trespass or inaccurac\$3 or erroneous\$3 or fail adj safe or failsafe) and (dummy or copy or imitation or simulat\$3 or model or mock or duplicat\$2 or replicate\$2) with (data or datum or information or signal or function or logic)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 14:00
S57	305	(((main or first or primary or principle) and (secondary or second or sub)) with (processor or computer or cpu or control adj unit) and (monitor\$3 or supervis\$6) and (fault or error or fail or fail adj safe or failsafe) and (dummy or copy or imitation or simulat\$3 or model or mock or duplicat\$2 or replicate\$2) with (data or datum or information or signal or function or logic)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 14:13
S58	45	S56 not S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 14:12

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

"SUNAMI KENJI"

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 5 of 5 for "SUNAMI KENJI". (0.21 seconds)

Tip: Try removing quotes from your search to get more results.

[Sponsored Links](#)

[Find patent Navigation and GPS](#)

Read More Inventors: **Sunami, Kenji**; Kashiwagi, Tomoyuki;, Assignee: DENSO Corporation (Kariya, JP). Determination of vehicle payload condition ...

www.efipweb.org/Navigation-and-GPS/latest-4.html - 65k -

[Cached](#) - [Similar pages](#)

[Restaurant Certificates](#)

\$25 Dining Certificates For \$10!
Popular Restaurants Nationwide.
www.restaurant.com

[Railway car order selecting system - Patent 4689602](#)

Inventors:, Morihara, Kenji; Homma, Hidetoshi; **Sunami, Kenji**;. Application Number:, 837239. Filing Date:, 1986-03-07. Publication Date:, 1987-08-25 ...

www.freepatentsonline.com/4689602.html - 35k - [Cached](#) - [Similar pages](#)

[System for installing control program in electronic control unit ...](#)

Inventors:, **Sunami, Kenji**; Kashiwagi, Tomoyuki;. Application Number:, 225249. Filing Date:, 2002-08-22. Publication Date:, 2004-09-21 ...

www.freepatentsonline.com/6795754.html - 49k - [Cached](#) - [Similar pages](#)

[Awarded works for 2003- \[Translate this page \]](#)

Takeo **Sunami / Kenji** Uesaka. W-2138. JAPAN. Ai Mawaribuchi. W-2147. JAPAN. Yutaka Nikaido. W-2149. INDIA. Avnish priya Gautam. W-2151. INDIA. Neil Foley ...

www.opus-award.com/en/awarded2003.html - 119k - [Cached](#) - [Similar pages](#)

[esp@cenet document view](#)

Inventor:, **SUNAMI KENJI** (JP). Applicant:, DENSO CORP (JP). Classification: -

international:, F02D45/00; G05B19/042; G05B9/03; G06F11/30; F02D45/00; ...

v3.espacenet.com/textdoc?DB=EPODOC&IDX=EP1441265&QPN=EP1441265 - 37k -

Supplemental Result - [Cached](#) - [Similar pages](#)

Download [Google Pack](#): free essential software for your PC

"SUNAMI KENJI"

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

"KENJI SUNAMI"

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 5 of 5 for "SUNAMI KENJI". (0.21 seconds)

Tip: Try removing quotes from your search to get more results.

[Sponsored Links](#)

[Find patent Navigation and GPS](#)

Read More Inventors: **Sunami, Kenji**; Kashiwagi, Tomoyuki;, Assignee: DENSO Corporation (Kariya, JP). Determination of vehicle payload condition ...

www.efipweb.org/Navigation-and-GPS/latest-4.html - 65k -

[Cached](#) - [Similar pages](#)

[Restaurant Certificates](#)

\$25 Dining Certificates For \$10!
Popular Restaurants Nationwide.
www.restaurant.com

[Railway car order selecting system - Patent 4689602](#)

Inventors:, Morihara, Kenji; Homma, Hidetoshi; **Sunami, Kenji**;. Application Number:, 837239. Filing Date:, 1986-03-07. Publication Date:, 1987-08-25 ...

www.freepatentsonline.com/4689602.html - 35k - [Cached](#) - [Similar pages](#)

[System for installing control program in electronic control unit ...](#)

Inventors:, **Sunami, Kenji**; Kashiwagi, Tomoyuki;. Application Number:, 225249. Filing Date:, 2002-08-22. Publication Date:, 2004-09-21 ...

www.freepatentsonline.com/6795754.html - 49k - [Cached](#) - [Similar pages](#)

[Awarded works for 2003- \[Translate this page \]](#)

Takeo **Sunami / Kenji** Uesaka. W-2138. JAPAN. Ai Mawaribuchi. W-2147. JAPAN. Yutaka Nikaido. W-2149. INDIA. Avnish priya Gautam. W-2151. INDIA. Neil Foley ...

www.opus-award.com/en/awarded2003.html - 119k - [Cached](#) - [Similar pages](#)

[esp@cenet document view](#)

Inventor:, **SUNAMI KENJI** (JP). Applicant:, DENSO CORP (JP). Classification:. - international:, F02D45/00; G05B19/042; G05B9/03; G06F11/30; F02D45/00; ...

v3.espacenet.com/textdoc?DB=EPODOC&IDX=EP1441265&QPN=EP1441265 - 37k -
Supplemental Result - [Cached](#) - [Similar pages](#)

Download [Google Pack](#): free essential software for your PC

"SUNAMI KENJI"

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google